

	Page
WATSON, GEORGE E.	
A revision of Balkan, Aegean and Anatolian Crested Larks .. ..	9-18
WHITE, C. M. N.	
Notes on the taxonomy of the Indigo Birds .. .. .	22-26
See also BENSON, C. W.	
WILLIAMS, J. G.	
A new <i>Cossypha</i> from Kenya .. .. .	137-138
An addition to our knowledge of <i>Euplectes diademata</i> .. ..	172-173
WILLIAMS, J. G. and KEITH, G. STUART	
A contribution to our knowledge of the Parasitic Weaver, <i>Anomaia-</i> <i>piza imberbis</i> .. .. .	141-142
WINTERBOTTOM, J. M.	
Albinism in Northern Rhodesian birds .. .. .	92
The south-western races of <i>Eremomela icteropygialis</i> (Lafresnaye) ..	118-122
WOLTERS, H. E.	
On the races of <i>Estrilda nonnula</i> (Hartlaub) .. .. .	91-92
See also CLANCEY, P. A.	

## INDEX OF SCIENTIFIC NAMES

All generic and specific names are indexed. Only new subspecific names are included. These are indexed under the generic name in heavy type, and also under the subspecific name.

- aalge, *Uria* 104  
*Actophilornis africanus* 67-72, 83, 97, 101  
*acuta*, *Anas* 66  
*Aechmophorus major* 110  
    — *occidentalis* 110, 116  
*Aegintha temporalis* 127  
*Aegithina tiphia* 160-165  
*Aegithina tiphia djungkulanensis* *subsp. nov.* 162-165  
*aegyptiacus*, *Alopochen* 46  
*affinis*, *Apus* 35  
*affinis*, *Aythya* 66, 168  
*africanus*, *Actophilornis* 67-72, 83, 97, 101  
*africanus*, *Buphagus* 101  
*Agelaius phoeniceus* 104  
*aguimp*, *Motacilla* 51  
*Aix galericulata* 102, 105  
    — *sponsa* 66, 95  
*alba*, *Gygis* 52  
*albeola*, *Bucephala* 66  
*albifrons*, *Anser* 90  
*albospecularis*, *Copsychus* 33  
*alchata*, *Pterocles* 123-124  
*Alopochen aegyptiacus* 46  
*Amandava amandava* 126-132, 173  
    — *formosa* 127, 131-132  
    — *subflava* 127, 131-132, 173-174  
    *see also* *Estrilda*  
*amauropteryx*, *Vidua* 23-26  
*americana*, *Aythya* 66  
*americana*, *Fulica* 67  
*Ammomanes dunni* 75  
*anaetheta*, *Sterna* 38  
*Anas acuta* 66  
    — *clypeata* 43, 66, 97, 105  
    — *crecca* 43, 66, 88, 165-168  
    — *discors* 66, 95  
    — *flavirostris* 88  
    — *formosa* 43, 60  
    — *penelope* 43, 165-168  
    — *penelope* X *Anas crecca* 165-168  
    — *platalea* 97  
    — *platyrhynchos* 43, 66, 88, 95, 105-107  
    — *rubripes* 66, 95  
    — *sparsa* 106  
    — *strepera* 60  
    — *waigiensis* 102  
*andinus*, *Podiceps* 110, 113-114, 116  
*Andropadus importunus* 35  
*angolensis*, *Uraeginthus* 33  
*anguitimens*, *Eurocephalus* 51, 54  
*Anomalospiza imberbis* 141-142  
*Anous stolidus* 52  
*Anser albifrons* 90  
*Anser anser* 102  
    — *coerulescens* 90, 101  
    — *cygnoides* 90  
*Anthus pratensis* 47  
    — *richardi* 77  
    — *similis* 76-77

- Anthus (similis) moco subsp. nov.** 77  
 — *spinoletta* 85  
**Apalis flavida** 133–134  
**Apalis flavida canora subsp. nov.** 134  
**apiaster**, *Merops* 51  
**Apus affinis** 35  
**Ardea goliath** 101  
**Ardeola idae** 31  
 — *ralloides* 31, 68  
**ardesiaca**, *Egretta* 31  
**atriceps**, *Brachypodius* 143  
**atriceps**, *Pycnonotus* 144  
**auritus**, *Colymbus* 67  
**auritus**, *Podiceps* 109–110, 113, 115  
**Aythya affinis** 66, 168  
 — *americana* 66  
 — *baeri* 57–59  
 — *collaris* 58, 95  
 — *ferina* X *Aythya fuligula* 168  
 — *fuligula* 43, 55–60, 168  
 — *marila* 58–59, 104  
 — *novaeeseelandiae* 104  
 — *nyroca* 43, 55–60, 139–140  
 — *valisineria* 66  
  
**baeri**, *Aythya* 57–59  
**bannermani**, *Nectarinia* 42  
**barbata**, *Erythropterygia* 73–74  
**baroli**, *Puffinus* 52  
**barratti**, *Bradypterus* 122, 174  
**bitorquata**, *Streptopelia* 143  
**borealis**, *Orthotomus* 143  
**Brachypodius atriceps** 143  
**Bradypterus barratti** 122, 174  
**Bradypterus barratti lysis nom. nov.** 122, 174  
 — *major* 122, 174  
**Branta canadensis** 90  
**brunneicauda**, *Newtonia* 33  
**Bubulcus ibis** 101  
**Bucephala** 57  
**Bucephala albeola** 66  
 — *clangula* 66, 95  
**bullockoides**, *Melittophagus* 33  
**Buphagus africanus** 101  
 — *erythrorhynchus* 19–20  
**Buphagus erythrorhynchus invictus subsp. nov.** 19  
**Burhinus capensis** 37  
**Butastur indicus** 143, 144  
  
**caeruleus**, *Eupodotus* 37  
**caeruleus**, *Parus* 83–84  
**Cairina moschata** 103, 105  
**Calicalicus madagascariensis** 33  
**Calidris minuta** 50  
**cambayensis**, *Thamnobia* 50  
**canadensis**, *Branta* 90  
**canarius**, *Serinus* 84  
**canicollis**, *Serinus* 34  
**canora**, *Apalis flavida* 134  
  
**capensis**, *Burhinus* 37  
**capicola**, *Streptopelia* 46  
**Caprimulgus enarratus** 32  
 — *madagascariensis* 32  
**caspicus**, *Colymbus* 110  
**castanotis**, *Taeniopygia* 85  
**Centropus senegalensis** 32  
 — *superciliosus* 32  
 — *toulou* 31, 169–171  
**Cephus grylle** 104  
**Centropelma micropterum** 110, 111  
**Ceryle rudis** 22  
**chabert**, *Leptopterus* 33  
**chalybeata**, *Vidua* 25–26  
**cherina**, *Cisticola* 32  
**chilensis**, *Podiceps* 92–94, 109–111, 113–115  
**chinensis**, *Streptopelia* 143, 144  
**chirurgus**, *Hydrophasianus* 83  
**Chlidonias hybrida** 31  
**Chloris chloris** 84  
**Chloromunia** 127  
**chloropus**, *Gallinula* 68, 106  
**Circaetus** 51  
**Circus pygargus** 101  
**Cisticola cherina** 32  
 — *galactotes* 142  
**clangula**, *Bucephala* 66, 95  
**clappertoni**, *Francolinus* 50  
**clypeata**, *Anas* 43, 66, 97, 105  
**coerulescens**, *Anser* 90, 101  
**colchicus**, *Phasianus* 101, 105  
**Colius indicus** 34  
**collaris**, *Aythya* 58, 95  
**Collocalia** 48, 54  
 — *lowei* 21  
**Columba livia** 85  
**Colymbus** 109–116 *see also* *Podiceps*  
 — *auritus* 67  
 — *griseigena* 67  
**Copsychus albospecularis** 33  
**coqui**, *Francolinus* 36  
**corax**, *Corvus* 103  
**corone**, *Corvus* 102  
**Corvus corax** 103  
 — *corone* 102  
 — *monedula* 102  
**Coscoroba coscoroba** 90  
**Cossypha natalensis tennenti subsp. nov.** 137–138  
**Coturnix coturnix** 103  
**crecca**, *Anas* 43, 66, 88, 165–168  
**cristata**, *Fulica* 31, 68  
**cristata**, *Galerida* 9–18, 87–88  
**cristatus**, *Podiceps* 109–110, 112, 115, 116  
**croceus**, *Macronyx* 5–9  
**cucullatus**, *Spinus* 84  
**curvirostris**, *Treron* 143  
**cyanomelas**, *Rhinopomastus* 34  
**cygnoides**, *Anser* 90

- delalandii*, *Treron* 35  
*diademata*, *Euplectes* 172–173  
*dichrous*, *Pitohui* 132–133  
*Dicrurus hottentottus* 144  
*discors*, *Anas* 66, 95  
*Dissemurus paradiseus* 143, 144  
*djungkulanensis*, *Aegithina tiphia* 162–165  
*dominicus*, *Podiceps* 110, 112, 115  
*dominicus*, *Poliiocephalus* 109  
*Dumeticola major* 122  
*dunni*, *Ammomanes* 75  
*Dytes* 113
- Egretta ardesiaca* 31  
 — *garzetta* 101  
 — *schistacea* 101  
*elizae*, *Estrilda* 91  
*enarratus*, *Caprimulgus* 32  
*eremodites*, *Pyrrhulauda* 75  
*Eremomela icteropygialis* 44, 118–122  
*Erimatura jamaicensis* 66  
*erythrophthalma*, *Netta* 58–60  
*Erythropgyia barbata* 73–74  
 — *quadrivirgata* 72–75  
 — *signata* 72–75  
*erythrorhynchus*, *Buphagus* 19–20  
*Erythrura* 127  
*Estrilda* 127–129  
 — *elizae* 91  
 — *nonnulla* 91–92  
 — *subflava* 35  
*Eudiptula minor* 38, 54  
*Euodice malabarica* 130–131  
*Euplectes diademata* 172–173  
 — *hordeacea* 92  
*Eupodotis caerulea* 37  
*Eurocephalus anguitimens* 51, 54  
*Eurystomus glaucurus* 32
- ferina*, *Aythya* 168  
*flava*, *Motacilla* 85  
*flavida*, *Apalis* 133–134  
*flavirostris*, *Anas* 88  
*flavirostris*, *Limnocorax* 68  
*flaviventris*, *Motacilla* 32  
*formosa*, *Amandava* 127, 131–132  
*formosa*, *Anas* 43, 60  
*Francolinus clappertoni* 50  
 — *coqui* 36  
*Fulica americana* 67  
 — *cristata* 31, 68  
*fulicata*, *Thamnobia* 49  
*fuliginosus*, *Haematopus* 105  
*fuligula*, *Aythya* 42, 55–60, 168  
*funerea*, *Vidua* 23–26  
*fusca*, *Melanitta* 66  
*fuscata*, *Sterna* 52
- galactotes*, *Cisticola* 142  
*galericulata*, *Aix* 102, 105  
*Galerida cristata* 9–18, 87–88  
*Gallinula chloropus* 68, 106  
*Garrulus glandarius* 106  
*garzetta*, *Egretta* 101  
*Gennaeus lineata* 46  
*gigas*, *Podilymbus* 110, 113, 114, 115  
*glandarius*, *Garrulus* 106  
*glaucurus*, *Eurystomus* 32  
*goliath*, *Ardea* 101  
*Gracula religiosa* 21  
*gramineus*, *Poecetes* 48  
*Granatina* 129, 171–172  
*Granatina granatina* 172  
*griseigena*, *Colymbus* 67  
*griseigena*, *Podiceps* 109, 112, 114, 115  
*griseus*, *Passer* 34  
*griseus*, *Puffinus* 41–42  
*grylle*, *Cephus* 104  
*Gygis alba* 52
- Haematopus fuliginosus* 105  
 — *ostralegus* 105  
*Haliaëtus leucogaster* 143, 144  
*Himantopus himantopus* 46  
*Histrionicus histrionicus* 67  
*hordeacea*, *Euplectes* 92  
*hottentottus*, *Dicrurus* 144  
*hybrida*, *Chlidonias* 31  
*Hydrophasianus chirurgus* 83  
*Hypochera* 22
- ibis*, *Bubulcus* 101  
*icteropygialis*, *Eremomela* 44, 118–122  
*idae*, *Ardeola* 31  
*imberbis*, *Anomalospiza* 141–142  
*importunus*, *Andropadus* 35  
*Indicator indicator* 21  
*indicus*, *Butastur* 143, 144  
*indicus*, *Colius* 34  
*intermedius*, *Ploceus* 34  
*invictus*, *Buphagus erythrorhynchus* 19  
*Ixocincla madagascariensis* 33
- Jacana spinosa* 83  
*jamaicensis*, *Erimatura* 66  
*jamaicensis*, *Oxyura* 91
- kelaarti*, *Lonchura* 128
- Lagonosticta* 33, 129  
 — *senegala* 39, 53, 128  
*layardi*, *Parisoma* 63  
*Leptopterus chabert* 33  
*lepurana*, *Turnix* 39  
*leucogaster*, *Haliaëtus* 143, 144  
*leucogastra*, *Lonchura* 128  
*leucomelas*, *Bradypterus* 136  
*leucomelas*, *Melaenornis silens* 137  
*leuconotus*, *Thalassornis* 68  
*leucosticta*, *Lonchura* 128–129  
*libonyanus*, *Turdus* 124–126

- Limnocorax flavirostris* 68  
*lineata*, Gennaes 46  
*livia*, Columba 85  
*Lonchura kelaarti* 128  
   — *leucogaster* 128  
   — *leucosticta* 128–129  
   — *punctulata* 130, 131  
   — *striata* 130  
   — *tristissima* 128  
*lowei*, Collocalia 21  
*Lybius undatus* 86–87  
*lysis*, *Bradypterus barratti* 122
- Macronyx croceus* 5–9  
*madagascariensis*, *Calicalicus* 33  
*madagascariensis*, *Caprimulgus* 32  
*madagascariensis*, *Ixocincla* 33  
*maderaspatana*, *Zosterops* 33  
*mahali*, *Plocepasser* 92  
*major*, *Aechmophorus* 110  
*major*, *Bradypterus* 122, 174  
*major*, *Podiceps* 111, 112, 114, 115  
*malabarica*, *Euodice* 130, 131  
*marila*, *Aythya* 58–59, 104  
*maxima*, *Megaceryle* 36  
*Megaceryle maxima* 36  
*Melaenornis silens* 135–137  
*Melaenornis silens leucomelas* *subsp. nov.*  
   137  
*Melanitta fusca* 66  
*Melanocephalus ploceus* 101  
*melba*, *Pytilia* 3–5  
*meleagris*, *Numida* 45–46  
*Melittophagus bullockoides* 33  
*Melopsittacus undulatus* 84  
*Mergus* 67  
*Merops apiaster* 51  
*merula*, *Turdus* 85, 102  
*micropterum*, *Centropelma* 110, 111  
*micropterum*, *Podiceps* 94, 113, 115  
*minor*, *Eudiptula* 38, 154  
*minuta*, *Calidris* 50  
*monedula*, *Corvus* 102  
*moco*, *Anthus* (*similis*) 77  
*morrisoni*, *Podiceps chilensis* 93  
*moschata*, *Cairina* 103, 105  
*Motacilla aguimp* 51  
   — *flava* 85  
   — *flaviventris* 32  
*mozambicus*, *Serinus* 34  
*mutata*, *Tchitrea* 33  
*Myioparus plumbeus* 61–63
- namaqua*, *Pterocles* 37  
*nana*, *Spermestes* 33  
*natalensis*, *Cossypha* 137–138  
*Nectarinia bannermani* 42  
   — *sororia* 42  
   — *verticalis* 42  
*nelicourvi*, *Ploceus* 33  
*Neomixis striatigula* 33
- Netta erythrophthalma* 58–60  
   — *peposaca* 58  
   — *rufina* 58, 139–140  
*Netta rufina* X *Aythya nyroca* 138–140  
*Newtonia brunneicauda* 33  
*nigerrima*, *Vidua* 24–26  
*nigrescens*, *Pitohui* 133  
*nigriceps*, *Terpsiphone* 27  
*nigricollis*, *Podiceps* 109, 110, 113, 114, 116  
*nigrilorum*, *Turdus* 124–126  
*nonnulla*, *Estrilda* 91–92  
*novaehollandiae*, *Podiceps* 113, 115  
*novaehollandiae*, *Polioccephalus* 110  
*novaezeelandiae*, *Aythya* 104  
*Numida meleagris* 45–46  
*nyroca*, *Aythya* 43, 55–60, 139–140
- occidentalis*, *Aechmophorus* 110, 116  
*occipitalis*, *Podiceps* 113, 114, 116  
*olivaceus*, *Turdus* 126  
*onocrotalus*, *Pelecanus* 76  
*Orthotomus borealis* 143  
   — *cineraceus* 147–154  
   — *ruficeps* 147–154  
   — *sepium* 143, 144–147, 148–154  
*Orthotomus sepium baweanus* *subsp. nov.*  
   150–151  
*Orthotomus sepium sundaicus* *subsp. nov.*  
   145–147  
*ostralegus*, *Haematopus* 105  
*Oxyura jamaicensis* 91  
   — *vittata* 91
- paradiseus*, *Dissemurus* 143, 144  
*parasiticus*, *Stercorarius* 101  
*Parisoma layardi* 63  
   — *subcaeruleum* 63  
*Parus caeruleus* 83–84  
*Passer griseus* 34  
*Pedetaithya* 112  
*Pelecanus onocrotalus* 76  
*pelzelni*, *Podiceps* 112–113, 115  
*pelzelni*, *Polioccephalus* 109  
*penelope*, *Anas* 43, 165–168  
*peposaca*, *Netta* 58  
*Perdix perdix* 102  
*petrosus*, *Ptilopachus* 45  
*Phasianus colchicus* 101, 105  
*phoeniceus*, *Agelaius* 104  
*Picus viridis* 104  
*Pitangus sulphuratus* 98  
*Pitohui dichrous* 132–133  
   — *nigrescens* 133  
*platalea*, *Anas* 97  
*platyrhynchos*, *Anas* 43, 66, 88, 95, 105–107  
*Plocepasser mahali* 92  
   — *superciliosus* 45  
*Ploceus* 40  
   — *intermedius* 34



- Ploceus melanocephalus* 101  
 — *nelicourvi* 33  
*plumbea*, *Stenostira* 63  
*plumbeiceps*, *Terpsiphone* 27  
*plumbeus*, *Myioparus* 61–63  
*Podica senegalensis* 156–160  
*Podiceps andinus* 110, 113–114, 116  
 — *auritus* 109–110, 113, 115  
 — *chilensis* 92–94, 109–111, 113–115  
*Podiceps chilensis morrisoni* *subsp. nov.*  
 93  
 — *cristatus* 109–110, 112, 115–116  
 — *dominicus* 110, 112, 115  
 — *griseigena* 109, 112, 114–115  
 — *major* 111–112, 114–115  
 — *micropterus* 94, 111, 113, 115  
 — *nigricollis* 109–110, 113–114, 116  
 — *novaeollandiae* 113, 115  
 — *occipitalis* 113–114, 116  
 — *pelzelinii* 112, 113, 115  
 — *poliocephalus* 113–115  
 — *rolland* 94, 109–110, 113–115  
 — *rufolavatus* 110, 113, 115  
 — *rufopectus* 113, 116  
 — *taczanowskii* 93, 113–114, 116  
*podiceps*, *Podilymbus* 67, 95, 110, 113–  
 115  
*Podilymbus gigas* 110, 113, 114, 115  
 — *podiceps* 67, 95, 110, 113–115  
*Poliocephalus dominicus* 109  
 — *novaeollandiae* 110  
 — *pelzelinii* 109  
 — *poliocephalus* 110, 113  
 — *ruficollis* 109  
 — *rufopectus* 110  
*poliocephalus*, *Poliocephalus* 110, 113  
*poliocephalus*, *Podiceps* 113, 114, 115  
*Poocetes gramineus* 48  
*pratensis*, *Anthus* 47  
*Proctopus* 113  
*Pterocles namaqua* 37  
 — *senegallus* 123, 124  
*Ptilopachus petrosus* 45  
*Puffinus baroli* 52  
 — *griseus* 41–42  
*punctulata*, *Lonchura* 130, 131  
*Pycnonotus atriceps* 144  
 — *xanthopygus* 33  
*pygargus*, *Circus* 101  
*Pyrrhulauda eremodites* 75  
*Pytilia melba* 3–5  
*quadrivirgata*, *Erythropygia* 72–75  
*Quelea quelea* 102  
*ralloides*, *Ardeola* 31, 68  
*religiosa*, *Gracula* 21  
*Rhinopomastus cyanomelas* 34  
*richardi*, *Anthus* 77  
*rolland*, *Podiceps* 94, 109–110, 113–115  
*rubripes*, *Anas* 66, 95  
*rudis*, *Ceryle* 22  
*ruficollis*, *Podiceps* 112, 113, 115  
*ruficollis*, *Poliocephalus* 109, 110, 112  
*rufina*, *Netta* 58, 139–140  
*rufolavatus*, *Podiceps* 110, 113, 115  
*rufopectus*, *Poliocephalus* 110  
*rufopectus*, *Podiceps* 113, 116  
*saturatus*, *Turdus* 124–126  
*schistacea*, *Egretta* 101  
*Scopus umbretta* 22, 101  
*semitorquata*, *Streptopelia* 96  
*senegala*, *Lagonosticta* 34, 53, 128  
*senegalensis*, *Centropus* 32  
*senegalensis*, *Podica* 156–160  
*senegalensis*, *Streptopelia* 92  
*senegallus*, *Pterocles* 123, 134  
*sepium*, *Orthotomus* 143, 144–147, 148,  
 149  
*Serinus canarius* 84  
 — *canicollis* 34  
 — *mozambicus* 34  
*signata*, *Erythropygia* 72–75  
*silens*, *Melaenornis* 135–137  
*similis*, *Anthus* 76–77  
*sororia*, *Nectarinia* 42  
*sparsa*, *Anas* 106  
*Spermestes* 36  
*Spermestes nana* 33  
*spinoletta*, *Anthus* 85  
*Spinus cucullatus* 84  
*spinosa*, *Jacana* 83  
*sponsa*, *Aix* 66, 95  
*Stenostira plumbea* 63  
*Stercorarius parasiticus* 101  
*Sterna anaetheta* 38  
 — *fuscata* 52  
 — *sumatrana* 38  
*stictigula*, *Neomixis* 33  
*stolidus*, *Anous* 52  
*strepera*, *Anas* 60  
*Streptopelia* 35, 36  
 — *bitorquata* 143  
 — *capicola* 46  
 — *chinensis* 143, 144  
 — *semitorquata* 46  
 — *senegalensis* 92  
*striata*, *Lonchura* 130  
*Sturnus vulgaris* 85  
*suahelica*, *Terpsiphone* 27  
*subcaeruleum*, *Parisoma* 63  
*subflava*, *Amandava* 127, 131–132, 173–  
 174  
*subflava*, *Estrilda* 35 *see also* *Amandava*  
*sulphuratus*, *Pitangus* 98  
*sumatrana*, *Sterna* 38  
*sundaicus*, *Orthotomus sepium* 145–147  
*superciliosus*, *Centropus* 32  
*superciliosus*, *Plocepasser* 45  
*Sylbeocyclus* 112

- Tachybaptus 109, 110, 112  
 taczanowskii, Podiceps 93, 113-114 116,  
 Taeniopygia castanotis 85  
 Tchitrea mutata 33  
 Telophorus zeylonus 34  
 temporalis, Aegintha 127  
 tennenti, Cossypha natalensis 137-138  
 Terpsiphone nigriceps 27  
   — plumbeiceps 27  
   — suahelica 27  
   — viridis 26-30, 96  
 Thalassornis leuconotus 68  
 Thamnobia cambayensis 50  
   — fulicata 49  
 tiphia, Aegithina 160-165  
 torquatus, Turdus 38  
 toulou, Centropus 31, 169-171  
 Treron curvirostris 143, 144  
   — delalandii 35  
   — vernans 144  
 tristissima, Lonchura 128  
 Troglodytes troglodytes 38  
 Turdus libonyanus 124-126  
   — merula 85, 102  
   — nigrilorum 124-126  
   — olivaceus 126  
   — saturatus 124-126  
 Turdus torquatus 38  
 Turnix lepurana 39  
 umbretta, Scopus 22, 101  
 undatus, Lybius 86-87  
 undulatus, Melopsittacus 84  
 Uraeginthus 171-172  
   — angolensis 33  
 Uria aalge 104  
 vernans, Treron 144  
 verticalis, Nectarinia 42  
 Vidua amauropteryx 23-26  
   — chalybeata 25-26  
   — funerea 23-26  
   — nigerrima 24-26  
 viridis, Picus 104  
 viridis, Terpsiphone 26-30, 96  
 vittata, Oxyura 91  
 vulgaris, Sturnus 85  
 waigiensis, Anas 102  
 xanthopygos, Pycnonotus 33  
 zeylonus, Telophorus 34  
 Zosterops maderaspatana 33





---

*The*  
*Caxton & Holmesdale Press*  
*Sevenoaks*

---





143  
I.P.C

## CONTRIBUTORS

Contributions are not restricted to members of the B.O.C. and should be addressed to the Editor, Mr. John Yealland, The Zoological Society of London, Regent's Park, London, N.W.1. These should be concise and typed on one side of the paper, double-spaced, with a good margin. The first time a species is mentioned, the scientific generic and specific names should be included. Subsequently the same name need only have the initial letter of the genus. Scientific names are printed in italics and should be underlined in the typescript. References should be given at the end of the paper.

Authors introducing a new name or describing a new species or race should indicate this in their title and display the name prominently in the text followed by *nom. nov.*, *sp. nov.*, *subsp. nov.* as appropriate. In these descriptions, the first introduction of the name should be followed by paragraphs for "Description", "Distribution", "Type", "Measurements of Type", "Material examined" and further sub-headings as required.

Proofs must be returned without delay. No changes may be made at this stage, other than corrections. At the discretion of the Editor, the Club will pay for a reasonable number of monochrome blocks, which the contributor may retain for his own use.

Contributors are entitled to a maximum of fifty free copies of the *Bulletin*, supplied only as specifically requested by authors. Those contributing to a meeting should hand in their MS. at that meeting; otherwise a note will be inserted mentioning the contribution.

## BACK NUMBERS OF THE BULLETIN

Applications for back numbers which cost 5s. each, should be made to N. J. P. Wadley, 58 Ovington Street, London, S.W.3. Members who have back numbers of the *Bulletin*, which they no longer require are requested to send them to N. J. P. Wadley.

## SUBSCRIPTION TO BULLETIN

The *Bulletin* may be purchased by non-members annually for 40s. (payable in advance) or per copy 5s., payable to the Hon. Treasurer, P. Tate, 4 Broad Street Place, London, E.C.2

## CORRESPONDENCE

Other correspondence should be addressed to the Hon. Secretary, Dr. J. G. Harrison, "Merriewood", St. Botolph's Road, Sevenoaks, Kent.

## DINNERS AND MEETINGS FOR 1962

18th December.